

GOVERNMENT OF TELANGANA

ABSTRACT

Public Servants – PR&RD Department – Allegations of irregularities and in utilizing of Gram Panchayat funds by the staff of PR&RD Department in Mangalpally Gram Panchayat, Amangal Mandal of Mahabubnagar District – Sri K.Krishnaiah, Assistant Engineer, Panchayat Raj, Amangal Mandal PR Sub Division Kalwakurthy in Erstwhile Mahaboobnagar District present Rangareddy District - Disciplinary proceedings under Rule 20 of Telangana Civil Services (Classification, Control & Appeal) Rules, 1991 – Article of charges – Issued.

PANCHAYAT RAJ & RURAL DEVELOPMENT (VIG.I) DEPARTMENT

G.O.Rt.No.55

Dated:07.02.2019

ORDER:

It is proposed to hold an enquiry against Sri K.Krishnaiah, Assistant Engineer, Panchayat Raj, Amangal Mandal PR Sub Division Kalwakurthy in Erstwhile Mahaboobnagar District present Rangareddy District in accordance with the procedure laid down in Rule 20 of the Teangana Civil Services (Classification, Control & Appeal) Rules, 1991.

2. The substance of the imputations of misconduct or misbehavior in respect of which the enquiry is proposed to be held is set out in the enclosed statement of article of charges (Annexure-I). A list of documents by which and a list of witnesses by whom, the article of charges are proposed to be sustained are also enclosed (Annexure-II&III).

3. Sri K.Krishnaiah, Assistant Engineer, Panchayat Raj, Amangal Mandal PR Sub Division Kalwakurthy in Erstwhile Mahaboobnagar District present Rangareddy District is directed to submit within ten (10) days of the receipt of this order, a written statement of his defence.

4. Sri K.Krishnaiah, Assistant Engineer, Panchayat Raj, Amangal Mandal PR Sub Division Kalwakurthy in Erstwhile Mahaboobnagar District present Rangareddy District is informed that an enquiry will be held only in respect of article of those charges as are not admitted. He should, therefore, specifically admit or deny each article of charge.

5. Sri K.Krishnaiah, Assistant Engineer, Panchayat Raj, Amangal Mandal PR Sub Division Kalwakurthy in Erstwhile Mahaboobnagar District present Rangareddy District is further informed that if he does not submit his written statement of defence on or before the Period specified in Para 3 above or otherwise fails or refuses to comply with the provisions of Rule 20 of Telangana Civil Services (Classification, Control & Appeal) Rules, 1991 or the orders / directions issued in pursuance of the said rules, the Inquiring Authority may hold the inquiry against him ex-parte.

6. Sri K.Krishnaiah, Assistant Engineer, Panchayat Raj, Amangal Mandal PR Sub Division Kalwakurthy in Erstwhile Mahaboobnagar District present Rangareddy District is invited to Rule 24 of the Telangana Civil Services (Conduct) Rules, 1964, under which no Government Servant shall bring or attempt to bring any political or outside influence to bear upon any superior authority to further his interest in respect of matters pertaining to his service under the Government. If any representation is received on his behalf from another person in respect of any matter dealt within these proceedings, it will be presumed that Sri K.Krishnaiah, Assistant Engineer, Panchayat Raj, Amangal Mandal PR Sub Division Kalwakurthy in Erstwhile Mahaboobnagar District present Rangareddy District is aware of such a representation and that it has been made at his instance and action will be taken against him for violation of Rule-24 of the Telangana Civil Services (Conduct) Rules, 1964.

7. The receipt of this G.O. shall be acknowledged.

(BY ORDER AND IN THE NAME OF THE GOVERNOR OF TELANGANA)

VIKAS RAJ

PRINCIPAL SECRETARY TO GOVERNMENT (PR&RD) (FAC)

To

Sri K.Krishnaiah, Assistant Engineer, Panchayat Raj, Amangal Mandal

(P.T.O.)

::2::

PR Sub Division Kalwakurthy in Erstwhile Mahaboobnagar District
present Rangareddy District **through** the Engineer-in-Chief, PR, Hyderabad.
The Engineer-in-Chief, Panchayat Raj, Hyderabad.
(with a request to serve and return the acknowledged copy and W.S.D.)

Copy to:

The Secretary to VC, TVC, Hyderabad.
The Director General, General Administration (V&E) Department,
BRKR Building, Hyderabad.
(w.r.t. Vigilance Report No.67(194/V&E/E.III/2016), dt:02.12.2016.)
SF/SC

//FORWARDED ::BY ORDER//

SECTION OFFICER

ANNEXURE-I

(Annexure to G.O.Rt.No.55, PR&RD (Vig.I) Deptt., dt.07.02.2019.)

STATEMENT OF ARTICLE OF CHARGE PROPOSED TO BE SUSTAINED AGAINST SRI K.KRISHNAIAH, ASSISTANT ENGINEER, PANCHAYAT RAJ, AMANGAL MANDAL PR SUB DIVISION KALWAKURTHY IN ERSTWHILE MAHABOBNAGAR DISTRICT PRESENT RANGAREDDY DISTRICT.

CHARGE-I:

That the said Sri K.Krishnaiah, while functioning as the Assistant Engineer, PR, Amangal , PR Sub Division Kalwakurthy have failed to discharge the official duties properly and violated the departmental procedures in the execution of work " Removal of Silt in drains and repairs at Mangalpally", Est. cost Rs.0.55 lakhs under 13th FC has executed the work and date of recording is not mentioned in M.Book.

BASIS-I:

The Vigilance & Enforcement officials have conducted an enquiry based on the petition received from Sri Murali, Upa Sarpanch, Mangalpally Gram Panchyat , Amangal (M)in Mahboobnagar District on 21.4.2016 addressed to the Vigilance Commission, Hyderabad. Accordingly, the Vigilance & Enforcement officials enquired into the allegations of irregularities in works of Panchyat Raj & Rural Development Department in Mangalpally G.P, Amangal Mandal of Mahboobnagar District , which stated the above lapses for the work **Removal of Silt in drains and Repairs at Mangalpally in GP Mangalpally est cost Rs.0.55 lakhs".** While recording M.Book dates are not mentioned by K.Krishnaiah, Assistant Engineer, PR, Amangal (M). Check measured by the concerned Dy.EE of PR Sub Division Kalwakurthy of damaged drain part for pre measurements and for execution of RR Masonary & plastering items are done on same date i.e. on 11.7.2014 and payment was made without deducting the Seigniorage charges. There by K.Krishnaiah, Assistant Engineer, PR, Amangal (M) has not discharged the official duties properly and is held responsible for not mentioning the recorded dates and getting check measured by the Dy.EE for pre measurements & execution of RR masonary and plastering on the same date and hence the charge.

CHARGE-II:

That the said Sri K.Krishnaiah , while functioning as the Assistant Engineer, PR, Amangal , PR sub Divn. Kalwakurthy have failed to discharge the official duties properly and violated the departmental procedures in the execution of works in GP. Mangalpally in the execution of C/o Under Ground drains in Mangalpally & Chintal pally in GP Mangalpally" (05) works of total Est. cost Rs.4.35 lakhs under 13th FC has not executed the works as per Specification of the sanctioned estimate and depth of SWG Pipeline recording is more than executed depth at site which led to excess payment of Rs.16808/-and date of recording is not mentioned in M.Book.

Basis II:

The Vigilance & Enforcement officials have conducted an enquiry based on the petition received from Sri Murali, Upa Sarpanch, Mangalpally Gram Panchyat, Amangal (M) in Mahboobnagar District on 21.4.2016 addressed to the Vigilance Commission, Hyderabad. Accordingly, the Vigilance & Enforcement officials enquired into the allegations of irregularities in works of Panchyat Raj & Rural Development Department in Mangalpally G.P, Amangal Mandal of Mahboobnagar District , which stated that for the following 5 works "Construction of Under Ground Side drains (5 no.s) in Mangalpally & Chintalpally H/o Mangalpally in GP Mangalpally in respect of 5 works with est. cost Rs.4.35 lakhs the depth of excavation for SWG pipe is less and there is excess payment.

1.Construction of Under Ground Side Drain from Lodiya Ramachandra (H) to Oil Ramaswamy (H) at Mangalpally in GP Mangalpally est cost Rs.1.00 lakh

K.Krishnaiah, A.E recorded Specifications in the M.Book are not tallied with field observations. The work is not executed as per the specifications of sanctioned estimate, The average depth of excavated trench for the SWG pipe is 0.60 mtrs as against the 0.9 mtrs and

P.T.O.

::2::

payment was made to the full depth i.e. 0.90 mtrs. Due to this an excess payment of Rs 3672/- was made to Sarpanch. There by K.Krishnaiah, Assistant Engineer, PR, Amangal(M)has not discharged the official duties properly and is held responsible, for not executed the work as per specification of the sanctioned estimate and recorded depth of SWG pipeline in M.Book more than the executed depth and not getting verified the depths of the SWG pipeline at the time of check measurement by the Dy.EE and led to the excess payment to the Sarpanch and hence the charge.

2.Construction of Under Ground Side Drain from Oil Ramaswamy (H) to Nagoji Yellaiah (H) at Mangalpally in GP Mangalpally est cost Rs.0.75 lakh

K.Krishnaiah ,A.E recorded Specifications in the M.Book are not tallied with field observations.The work is not executed as per the specifications of sanctioned estimate. The average depth of excavated trench for the SWG pipe is 0.60 mtrs as against the 0.9 mtrs and payment was made to the full depth i.e. 0.90 mtrs .Due to this an excess payment of Rs 1970/- was made to Sarpanch . There by K.Krishnaiah, Assistant Engineer, PR, Amangal (M) has not discharged the official duties properly and is held responsible for not executed the work as per specification of the sanctioned estimate and recorded depth of SWG pipeline in M.Book more than the executed depth and not getting verified the depths of the SWG pipeline at the time of check measurement by the Dy.EE and led to the excess payment to the Sarpanch and hence the charge.

3.Construction of Under Ground Side Drain from Koppu Sailu(H) to Koppu Ramaiah (H) at chintal pally H/o Mangalpally in GP Mangalpally est. cost Rs.1.00 lakh

K.Krishnaiah, A.E recorded Specifications in the M.Book are not tallied with field observations. The work is not executed as per the specifications of sanctioned estimate,The average depth of excavated trench for the SWG pipe is 0.75 mtrs as against the 0.9 mtrs and payment was made to the full depth i.e. 0.90 mtrs .Due to this an excess payment of Rs 3420/- was made to Sarpanch. There by K.Krishnaiah, Assistant Engineer, PR, Amangal (M) has not discharged the official duties properly and is held responsible for not executed the work as per specification of the sanctioned estimate and recorded depth of SWG pipeline in M.Book more than the executed depth and not getting verified the depths of the SWG pipeline at the time of check measurement by the Dy.EE and led to the excess payment to the Sarpanch and hence the charge.

4.Construction of Under Ground Side Drain from Janthika Jangaiah (H) to Koppu Laxmaiah (H) at chintal pally H/o Mangalpally in GP Mangalpally est cost Rs. 0.75 lakhs

K.Krishnaiah, A.E recorded Specifications in the M.Book are not tallied with field observations.The work is not executed as per the specifications of sanctioned estimate. The average depth of excavated trench for the SWG pipe is 0.65 mtrs as against the 0.9 mtrs and payment was made to the full depth i.e. 0.90 mtrs. Due to this an excess payment of Rs 4921/- was made to Sarpanch. There by K..Krishnaiah, Assistant Engineer, PR, Amangal (M) has not discharged the official duties properly and is held responsible for not executed the work as per specification of the sanctioned estimate and recorded depth of SWG pipeline in M.Book more than the executed depth and not getting verified the depths of the SWG pipeline at the time of check measurement by the Dy.EE and led to the excess payment to the Sarpanch and hence the charge.

5.Construction of Under Ground Side Drain from Koppu Narshimha(H) to Koppu Ramaiah (H) at Mangalpally in GP Mangalpally est cost Rs.0.85 lakhs

K.Krishnaiah, A.E recorded Specifications in the M.Book are not tallied with field observations.The work is not executed as per the specifications of sanctioned estimate. The average depth of excavated trench for the SWG pipe is 0.70 mtrs as against the 0.9 mtrs and payment was made to the full depth i.e. 0.90 mtrs .Due to this an excess payment of Rs 2825/- was made to Sarpanch . There by K.Krishnaiah ,Assistant Engineer, PR, Amangal (M)

(Contd... on page3)

::3::

has not discharged the official duties properly and is held responsible for not executed the work as per specification of the sanctioned estimate and recorded depth of SWG pipeline in M.Book more than the executed depth and not getting verified the depths of the SWG pipeline at the time of check measurement by the Dy.EE and led to the excess payment to the Sarpanch and hence the charge.

Total amount of Rs 16,808/- is to be recovered due to excess payment made.

Thus, Sri K.Krishnaiah, Assistant Engineer, PR, Amangal (M) has failed to discharge his legitimate duties properly. Thus his action is in violation of Rule (3) of TCS (Conduct) Rules, 1964.

Hence the charge.

VIKAS RAJ
PRINCIPAL SECRETARY TO GOVERNMENT (PR&RD) (FAC)

SECTION OFFICER

ANNEXURE-II

(Annexure to G.O.Rt.No.55, PR&RD (Vig.I) Deptt., dt.07.02.2019)

LIST OF DOCUMENTS BY WHICH THE ARTICLE OF CHARGE IS PROPOSED TO BE SUSTAINED AGAINST SRI K.KRISHNAIAH, ASSISTANT ENGINEER, PANCHAYAT RAJ, AMANGAL MANDAL PR SUB DIVISION KALWAKURTHY IN ERSTWHILE MAHABOONAGAR DISTRICT PRESENT RANGAREDDY DISTRICT

Vigilance Report No.67 (194/V&E/E.III/2016), dt:02.12.2016 of GA(V&E) Department, Govt., of Telangana.

VIKAS RAJ
PRINCIPAL SECRETARY TO GOVERNMENT (PR&RD) (FAC)

SECTION OFFICER

ANNEXURE-III

(Annexure to G.O.Rt.No.55, PR&RD (Vig.I) Deptt., dt.07.02.2019)

LIST OF WITNESSES BY WHOM ARTICLES OF CHARGES ARE PROPOSED TO BE SUSTAINED AGAINST SRI K.KRISHNAIAH, ASSISTANT ENGINEER, PANCHAYAT RAJ, AMANGAL MANDAL PR SUB DIVISION KALWAKURTHY IN ERSTWHILE MAHABOONAGAR DISTRICT PRESENT RANGAREDDY DISTRICT

- NIL -

VIKAS RAJ
PRINCIPAL SECRETARY TO GOVERNMENT (PR&RD) (FAC)

SECTION OFFICER